

Consists of sexual violence, visual celebration of rape and degradation of women and girls.
Performers live in a vicious cycle as a sex worker.
Most are forced to practice unprotected sex.
Screening tests get altered.
66-99% of porn stars have herpes or a STD.
The support of porn fuels sex trafficking, disease, drug use and alcohol.
Rectum prolapse are caused in sexual practices and some internal insides come out.
Most ex-porn stars speak against supporting the sex business.
Performers have unhealthy self-esteem.
People choose porn for need of money, lack education or thought it would be glamorous.
Many young girls enticed are blackmailed or fear ruined reputations and law suits.
Unrealistic portrayal of people having sex.
A 30 min scene edit takes 5-12 hours of demanding sexual activity.
Demands cause extreme physical and mental instability.
Some of the performance is real and a lot including effects are fake.
Many individuals regularly have to use enemas, Viagra, and tons of lubricants.
The environments usually smell like sweat, urine and body fluids.
Camera men on set get body fluids on them at some point.
Camera angles are fake and portray unrealistic intercourse.
Performers are acting pleasure, smiles and orgasms.
Female stars get hungry, because directors concern over them appearing bloated on camera.
There are particular strict diets or skipping meals certain days.
Women get paid more to have them perform with ugly older guys or use foreign objects.
Those that run out of work and get hooked on drugs sometimes go into prostitution.
Agents lie to some women, lure them into prostitution when they think it's a porno scene.
Many people commit suicide or die from drug overdose.
Guys take advantage of uneducated girls with lots of money, free time and little supervision.
Real abusive acts are used like beating, punching, choking and degrading language.
Sometimes wealthy clients pay to have sex with porno stars and contact STDS.

PORNO
PAGE

